



ROOFING SHINGLES

PRODUCTION CATALOGUE

MIDA roofing shingles

Quality management system certified according to ISO 9001:2015

PREMIUM collection EN 544

The PREMIUM range of shingles is designed to meet the needs of most demanding customers who prioritize highest quality and confidence in their roofing materials. This product line features excellent physical and mechanical properties, ensuring increased durability even in cold climate zones. The presence of a self-adhesive layer not only facilitates seamless installation, but also provides maximum protection against strong gusts of wind.



RESIDENTIAL collection ETA 12/0234

The RESIDENTIAL grade series of bitumen shingles with its advanced modified bitumen formula is ideal for residential buildings. Thanks to their increased flexibility, these shingles can be easily installed on complex roof structures even at low temperatures. Furthermore, the performance of this series guarantees exceptional durability of the roofing material.



STANDARD collection ETA 12/0234

The STANDARD grade series of bituminous shingles is an ideal choice for non-residential structures such as garden houses, sheds, and garages.




NOTE: Actual product colors may vary slightly from the colors shown in the catalogue. If color hue is critical for you, please request full-size samples before making your final choice.

* For more information about warranty visit www.mida.it.

* For more information about warranty visit www.mida.it.



MIDA roofing shingles




MIDA hip & ridge & starter shingles



Valley roll material MIDAFLEKS EKM



Underlayment membranes



MIDA SELF PRO



Ridge ventilation



Roofing nails



Adhesive for roofing shingles




Classic system

The system is designed for the creation of a cold attic on pitched roofs of any complexity and configuration. MIDA roofing shingles are used as a roof covering.

SYSTEM COMPONENTS:

1. Rafter
2. Counter battens
3. Wood decking (OSB-3, plywood, wooden boards)
4. Underlay bitumen membrane
5. Adhesive for roofing shingles
6. MIDA roofing shingles



Attic system

The system is used for the creation of an attic floor in low-rise buildings and cottages. MIDA roofing shingles are used as a roof covering.

SYSTEM COMPONENTS:

1. Attic interior finish
2. Counter battens
3. Vapor barrier membrane
4. Rafter
5. Stone wool
6. Superdiffusion membrane
7. Ventilation space battens
8. Counter battens
9. Wood decking (OSB-3, plywood, wooden boards)
10. Underlay bitumen membrane
11. Adhesive for roofing shingles
12. MIDA roofing shingles




MIDA SELF KSK EN 13707

self-adhesive bitumen membrane for pitched roofs

Easiest roof covering ever! MIDA SELF KSK bitumen membrane is self-adhesive elastomeric bitumen membrane, covering the entire surface. Installation of the membrane is quick, simple and safe way to cover various roofs of simple buildings, for instance, garden homes, storage sheds, car ports, pavilions, etc. All you have to do is to unroll, attach with nails, remove protective film and press!

- Self-adhesive
- Dimensions 0.5x5.0 m, 1x10 m
- Thickness approx 3.0 mm
- Weight 3,8 kg/m²
- Resistant to atmospheric effects
- Watertight
- Quick and simple installation
- For pitched roofs from 5°



Red

Green

Brown

Grey

Black



Accessories

MIDA hip & ridge & starter shingles



Hip & ridge & starter shingles produced with SBS modified bitumen are extremely flexible; they are used for quick and easy installation of a starter row along eaves. These pre-cut shingles can be separated into three smaller pieces for further application on hips and ridges to add the perfect aesthetic finish to your roof. Maximum protection against wind, snow and rain is provided.

Available in a wide range of colors to match any chosen roofing color solution.

Dimensions: 1 m x 0,25 m

Coverage per a bundle: 12 lin. m (hips & ridge) and 20 lin. m (starter strip).

Color: ■■■■■■

Valley roll material MIDAFLEKS EKM



Used as waterproofing underlayment in roof valleys which are prone to leakages under snow and rain loads and thus require extra protection.

This material is also used to seal joints between roofing and piping or vertical walls.

Dimensions: 1 m x 10 m

Color: ■■■■■■

Roofing nails



Anticorrosive roofing nails with circular cross-section for fastening of bituminous shingles to a wooden deck. Also used for mechanical fastening of roof accessories.

Head diameter ≥ 9 mm,

nail diameter ≥ 3.5 mm,

shank length – 30 mm.

Adhesive for roofing shingles



Provide extra adhesion of roofing shingles and other bitumen-based materials to such surfaces as brick, concrete, metal, wood, ceramic etc.



Recommended sets

MIDA ROOFING SHINGLES			PREMIUM	RESIDENTIAL	STANDARD
UNDERLAY		MIDA SELF PRO	●	●	●
		MIDA ROOF FIX EMM SBS	●	●	●
		MIDA LIGHT S Euro	●	●	●
ALSAN MASTIC 2200		Adhesive for roofing shingles	●	●	●
NAILS		30 mm	●	●	●



Why is it comfortable with MIDA roofing shingles all year round?



PERFECT FOR COMPLEX ROOFING DESIGN

Roofing shingles are a construction material for residential roofing applications that is used on roof slopes of 12° or greater. It is the smartest solution for a complex or intricate roof design.



NOISE INSULATION

Multilayer coating and its specific components make extremely quiet roofing. The noise of rain, wind or hail hitting the roof will not torture you. Enjoy peace and quiet in your house!



NOISE INSULATION

Multilayer coating and its specific components make extremely quiet roofing. The noise of rain, wind or hail hitting the roof will not torture you. Enjoy peace and quiet in your house!



BASALT GRANULES SURFACE

The coating made of natural basalt retains color, does not fade in the sun and does not change its color during the whole service life.



SNOW SLIDE PREVENTION

The rough structure of basalt pellets' surface prevents the snow from falling down from the roof and facilitates its gradual melting.



LEAK RESISTANCE

After installation, shingles are caked together into monolithic roofing, ensuring absence of slits and complete leak tightness.

PACKING LIST SHINGLES

Main characteristics	Quantity in the package, units / m ²	Quantity on the pallet, m ²	Quantity in truck, length 13,6 m*, m ²	Weight of a pallet, kg	Product codes					
COLORS										
	SONATA SAMBA	22 / 3,0	108	2 376	1 047,00	6S4E21-0860	6S4E21-0875	6S4E21-0866	6S4E21-0625	6S4E21-0810
PREMIUM collection EN 544	SONATA QUADRILLE	22 / 3,0	108	2 592	982,20	6S4E21-0822	6S4E21-0821	6S4E21-0813	6S4E21-0815	6S4E21-0826
	ACCORD PRAGA	22 / 3,0	108	2 484	1 036,20	4A4E21-1429	4A4E21-1408	4A4E21-1421	4A4E21-1407	4A4E21-1402
	TRIO SUPER	21 / 3,0	108	2 052	1 209,00	3T4E21-1029	3T4E21-1014	3T4E21-1011	3T4E21-1025	3T4E21-1060
	TANGO SUPER	21 / 3,0	108	2 160	1 144,20	5B4E21-1529	5B4E21-1508	5B4E21-1511	5B4E21-1525	
RESIDENTIAL collection ETA 12/0234	YOGA HEXAGONAL	14 / 2,0	150	2 700	1 281,00	6S4E21-0822Y	6S4E21-0821Y	6S4E21-0813Y	6S4E21-0880Y	6S4E21-0826Y
	YOGA TRIO	14 / 2,0	132	2 244	1 354,20	3T4E21-3022Y	3T4E21-3021Y	3T4E21-3013Y	3T4E21-3024Y	3T4E21-3026Y
	YOGA BEAVER PLUS	14 / 2,0	132	2 376	1 288,20	5B4E21-5022Y	5B4E21-5021Y	5B4E21-5013Y	5B4E21-5024Y	5B4E21-5026Y
STANDARD collection ETA 12/0234	FORCE HEXAGONAL	22 / 3,0	135	2 835	1 114,50	6S4E21-6822-1	6S4E21-6821-1	6S4E21-6813-1	6S4E21-6824-1	6S4E21-6826-1
	FORCE TRIO	21 / 3,0	126	2 394	1 243,20	3T4E21-3422-1	3T4E21-3421-1	3T4E21-3413-1	3T4E21-3024-1	3T4E21-3426-1
	FORCE BEAVER PLUS	21 / 3,0	126	2 520	1 167,60	5B4E21-5422-1	5B4E21-5421-1	5B4E21-5413-1	5B4E21-5024-1	5B4E21-5426-1
ACCESSORIES	HIP AND RIDGE	20 / 5,0	200	4 600	1 021,00	4K4E21-0025	4K4E21-0027	4K4E21-0126	4K4E21-0007	4K4E21-0022
VALLEY MEMBRANE	MIDAFLEKS EKM	1 / 10,0	230	5 060	1 079,00	1E6E21-0061	1E6E21-0075	1E6E21-0086	1E6E21-0077	1E6E21-0026
MIDA SELF KSK	SELF-ADHESIVE ROOFING	1 / 2,5	175	13 440	686,00	484571	484572	484573	484574	653339
	MIDA SELF PRO	1 / 15,0	345	12 800	652,50	Antracit				
UNDERLAYMENT	MIDA ROOF FIX EMM SBS	1/25,0	575	14 950	886,00	Sand				
	MIDA LIGHT S	1 / 10,0	400	13 200	693,00	Sand				

* the load in a truck can not exceed a total weight of 24,000 kg.

PACKING LIST UNDERLAY

Code	Product name	Weight, kg/sq.m	Thickness, mm	Covered: top side / bottom side	Roll m /rol per pallet	Benefits
TN772881	MIDA SELF PRO	1,80	1,50	anthracite / self-adhesive	15 / 27	Temporary roof covering for 6 months
TN754987	MIDA ROOF FIX EMM SBS	1,50	1,50	sand / sand	25 / 23	—
TN750459	MIDA LIGHT S Euro	1,60	1,20	sand / sand	10 / 40	—

